


Love That Door

(972-247-5683 Dallas) (214-705-6222 Frisco)

Item No.	144-31-D. WOOD
Qty	1 set
Glass	All Water cube
Lock	Single Bore Lock <input checked="" type="checkbox"/> Double Bore Lock <input type="checkbox"/>
Jamb	4" <input type="checkbox"/> 6" <input type="checkbox"/> 8" <input checked="" type="checkbox"/> 12" <input type="checkbox"/>
Mounting	Tabs <input type="checkbox"/> Holes <input checked="" type="checkbox"/>
Finish	LTD-CS004 (Bronze)
Active	Left Door <input checked="" type="checkbox"/> Right Door <input type="checkbox"/>
Open	Out Swing <input type="checkbox"/> In Swing <input checked="" type="checkbox"/>
Threshold	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
Handles	With No. C <input checked="" type="checkbox"/> Without <input type="checkbox"/>
Glass Panel	Operating <input checked="" type="checkbox"/> Fixed <input type="checkbox"/>
Screens	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
Drawing Date	15th Aug.,2017
Approval By	
Revision Date:	16th Aug.,2017
Revision Date:	17th Aug.,2017
Revision Date:	8th Sept.,2017



View From Inside of House

View From Outside of House

New Construction
 * If this is new construction, LTD is not responsible for measurements of Door and Jamb Size, please verify all is correct with builder
 * The framing needs to be framed 1" wider than the width of actual door unit and 1" taller (EX: Door specs 72"x96" framing should be 73"x97")
 * We currently make all new construction doors are built with a 2"x8" Jamb if studs are 2"x4" and you are using brick or faux stone, we use a 2"x6" jamb if studs are 2"x6" and you are using brick or faux stone we use a 2"x8" jamb if you are using real stone, add 2" to these final jamb depths.

* Orders not processed until cads are approved
 * Approximately 90day lead time on all custom orders
 * Deposits are non-refundable on all custom orders
 * Faux finish is hand applied and can vary from door to door
 * Love That Door reserves the right to photo complete job and use as marketing or advertising
 * Please review all information for the selection of your door and send an email acknowledgement or sign and return CAD with approval
 * If this is new construction, LTD is not responsible for measurements of Door and Jamb size please verify all is correct with builder.